

DIALOGUES

I N C O N T R A C E P T I O N[®]



Post-Test

The following Post-Test contains 10 multiple-choice questions based on information contained in the *Dialogues in Contraception*[®], Volume 9, Number 2, newsletter. It is designed to enable practitioners to assess the knowledge they have gained from the newsletter and to identify areas for further study.

On the Answer Sheet, fill in all identifying information requested. Complete the Answer Sheet by circling, in each case, the one response that most accurately answers the question.

1. Viral STIs can be treated medically, to eliminate recurrence.
 - a. True
 - b. False
2. The incidence of PID among women using COCs compared with sexually active nonusers is reduced by at least:
 - a. 20%
 - b. 30%
 - c. 40%
 - d. 50%
3. The greatest risk factor for acquisition of STIs is:
 - a. cervical ectopy
 - b. reduced menstrual blood loss
 - c. high-risk sexual behavior
 - d. use of nonoxynol-9 spermicide
4. Most recent cohort studies conducted where HIV/AIDS is widespread have found no increased risk of HIV infection with COC use compared with nonuse.
 - a. True
 - b. False
5. The only contraceptive method found to be effective in preventing HIV transmission is:
 - a. male latex condoms
 - b. male natural-membrane condoms
 - c. female condoms
 - d. IUC
6. In a 1992 survey of 1749 women aged 18 to 59, what percentage of respondents reported lack of interest in sex or diminished libido during the past 12 months?
 - a. 10%
 - b. 20%
 - c. 30%
 - d. 40%
7. According to one recently proposed definition of hypoactive sexual desire disorder, a key component of diagnosis is:
 - a. absence of sexual activity during a 6-month period
 - b. pain during sexual activity
 - c. personal distress caused by lack of interest in sexual activity
 - d. partnership issues
8. Factors that can negatively affect a woman's libido include:
 - a. medical conditions
 - b. decreased sex steroids
 - c. psychological problems
 - d. all of the above
9. Some evidence suggests that initial decreases of libido may improve with continued contraceptive method use for:
 - a. up to 3 months
 - b. 6 to 12 months
 - c. 18 months
 - d. 2 years
10. Data from the 2002 National Survey of Family Growth indicate that, since the 1995 Survey, the number of sexually active women not intending pregnancy who were not using a contraceptive method increased by about:
 - a. 2%
 - b. 5%
 - c. 10%
 - d. 20%

DIALOGUES

IN CONTRACEPTION®



Post-Test Answer Sheet

- | | | | | | | | | | |
|----|---|---|---|---|-----|---|---|---|---|
| 1. | a | b | | | 6. | a | b | c | d |
| 2. | a | b | c | d | 7. | a | b | c | d |
| 3. | a | b | c | d | 8. | a | b | c | d |
| 4. | a | b | | | 9. | a | b | c | d |
| 5. | a | b | c | d | 10. | a | b | c | d |

CME or Nursing Contact Hour Enrollment

(PRINT) NAME _____ DEGREE _____
FIRST LAST

MEDICAL LICENSE # _____ TELEPHONE NUMBER _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

SPECIALTY _____ E-MAIL _____

METHOD OF PAYMENT

- Check (payable to USC or NPWH)
- Credit Card

Visa/MasterCard # _____ Expiration Date _____

Authorized Signature _____ Amount \$ _____

To receive CME credit, please mail a check for \$15.00 (payable to USC) or credit card information and this Answer Sheet to:
Office of Continuing Education, Keck School of Medicine of the University of Southern California
 1975 Zonal Avenue, KAM 317, Los Angeles, CA 90033-1039
 (323) 442-2555 or (800) USC-1119 – FAX (323) 442-2152 (for credit card payment only)
 Certificates will be sent approximately one month after submission.

To receive nursing contact hours, please mail a check for \$15.00 (payable to NPWH) or credit card information and this Answer Sheet to:
National Association of Nurse Practitioners in Women's Health
 503 Capitol Court NE, Suite 300, Washington, DC 20002
 (202) 543-9693 – FAX (202) 543-9858 (for credit card payment only)

DIALOGUES

I N C O N T R A C E P T I O N[®]



Evaluation Questionnaire

We would appreciate your comments.
Please return completed questionnaire to our toll-free fax number: (888) 665-8650.

1. How long did it take you to complete this CME activity? _____

2. I found the content (check appropriate boxes):

- Not practical
- Moderately practical
- Poorly written
- Well written
- Too difficult
- Moderately difficult
- Very practical
- Expertly written
- Too easy

3. The stated objectives were achieved. Yes No

4. The examination questions were:

- Too difficult
- Too easy
- Too short
- Too long
- Poorly written
- Well written

5. Did you find the program:

Biased for or against any particular drug? Yes No

If yes, please explain: _____

Fairly balanced in terms of treatment options? Yes No

If no, please explain: _____

Suggestions for future topics: _____

Additional comments: _____

Name (optional): _____